Abstract No. Guo0308

Crystal Structure of the Heterodimeric Complex of the Adaptor, ClpS, with the N-domain of the AAA⁺ Chaperone, ClpA

F. Guo (NCI), L. Esser (NCI), S. K. Singh (NCI), M. R. Maurizi (NCI) and D. Xia (NCI) Beamline(s): X9B

Introduction: ClpA, an Hsp100/Clp chaperone and regulator of ClpAP protease complex, participates in post-translational protein quality control and regulation and modulated by an adaptor protein, ClpS, through its interaction with the N-domain of ClpA.


Methods and Materials: The N-domain of ClpA and ClpS were overexpressed and purified to homogeneity, respectively. The complex of the N-domain and ClpS (ClpNS) was obtained by one step gel filtration chromatography of the equal molar ratio mix of the N-domain and ClpS and further crystallized in two forms. The x-ray diffraction data were collected and the structures were solved.

Results: The crystal structures of protein complex ClpNS were solved in two different forms at 2.3 and 3.3 Å, respectively. The ClpS structure forms a α/β -sandwich and is topologically analogous to the C-terminal domain of the ribosomal protein L7/L12. ClpS contacts two surfaces on the N-terminal domain in both crystal forms; the more extensive interface was shown to be favored in solution by protease protection experiments. The N-terminal 20 amino acid residues of ClpS are invisible in crystal; the ClpS Δ 17, in which the first 17 residues were removed, binds the ClpA N-domain and no longer inhibits ClpA activity. A zinc-binding site involving two Histidine and one Glutamate residues was identified in the N-terminal domain of ClpA. In a model of ClpS bound to hexameric ClpA, ClpS is oriented with its N terminus directed toward the distal surface of ClpA, suggesting that the N-terminal region of ClpS may affect productive substrate interactions at the apical surface or substrate entry into the ClpA translocation channel.

Acknowledgments: We thank Dr. Z. Dauter for assistance in the data collection at X9B of NSLS.

References:

- Guo, F., Maurizi, M. R., Esser, L., and Xia, D., "Crystal Structure of ClpA, an Hsp100 Chaperone and Regulator of ClpAP protease," <u>J. Bio. Chem.</u> 2002 Sep 15 [epub ahead of print].
- 2. Guo, F., Esser, L., Singh, S. K., Maurizi, M. R., and Xia, D., "Crystal Structure of the Heterodimeric Complex of the Adaptor, ClpS, with the N-domain of the AAA⁺ Chaperone, ClpA," <u>J. Bio. Chem.</u> 2002 Aug 29 [epub ahead of print].
- 3. Dougan, D. A., Reid, B. G., Horwich, A. L., and Bukau, B., "ClpS, a substrate modulator of the ClpAP machine," (2002) Mol. Cell 9, 673-683.



The structure of the N-domain of ClpA complexed with ClpS